

**“Power For The Unexpected”**

**(949) 646-8191**



**SCOTT BATTERIES**

Your Source for UPS, Telecommunications and Emergency Power Solutions

1041 W. 18<sup>th</sup> St., Suite B104, Costa Mesa, Ca 92627 USA

Office 949 646-8191 Fax 949 258-5288

www.ScottBatteries.com

**Liebert GXT2 6.0kVA Online Double Conversion UPS for 120 / 208VAC**  
**High Availability Power for Servers & Cisco Switches and Routers**

**Maximum Protection for Mission Critical Network Applications**

The Liebert GXT2 6.0kVA Online Double Conversion UPS provides ultra reliable, advanced power protection for computers, servers, Cisco network routers and switches, storage devices, radio and telecommunication systems and other sensitive electronic equipment needing emergency power backup protection.

The Liebert GXT2 6.0kVA UPS provides power conditioning and emergency backup power by providing voltage regulation (+ - 3%) and zero transfer time to battery for small and medium size computer and data centers with mission critical applications.

**Providing Power Protection with New Electrical Sine Wave Output**

Liebert provides the best power protection in the industry by providing a new electrical sine wave for your connected equipment. Its online, double conversion technology (AC-DC-AC) isolates your equipment from power issues that will effect its operation. Protection from low voltage brownouts, blackouts and spikes are all encompassed in this one solution!

Extended long runtime battery cabinets are also available ensure its continuous operation even during extended power outages.

Competitively priced, now you can have Liebert engineering and quality in this compact 4U high UPS chassis that is designed for 19" or 23" equipment racks or floor or shelf mounted installation. With the Liebert GXT2 UPS, you will always be ready for the next power issue.

Liebert GXT2 6.0kVA Model Specifications - 6.0kVA / 4.2kW, 208 VAC input, 208VAC or 208 / 120VAC output. NEMA L14-30P or L6-30P input plug, power distribution receptacle solutions include NEMA 5-15, 5-20, L6-15, L6-20, L6-30 or L14-30 receptacles. An integrated external maintenance bypass switch is provided standard. UPS dimensions and weight: 6.90" W x 24.2" D x 16.9" H, 146 lbs.

Note: UPS is auto sensing of either 208 or 240VAC input voltages. No adjustment needed.

**GXT2 6.0kVA UPS System Features**

Rack or Tower Mounting  
Zero Transfer Time to Battery  
Online Double Conversion UPS Protection  
Protection from Brownouts - Power Conditioning


Multiple Receptacle Solutions  
External Maintenance Bypass Switch  
4U Chassis for Equipment Installation  
Wide Area Network Communications

**For additional information and specifics on the engineering of this solution into your facility, please call the Scott Batteries sales office.**

**Company Information and Profile:** Scott Batteries is a provider of batteries and high availability power systems for UPS, Telecommunications, Emergency Lighting and other critical power applications. The company's products and services are engineered for those with the responsibility of implementing, maintaining and supporting mission critical applications. Associated services of electrical distribution, equipment diagnostics, installation and equipment relocation and battery testing are also provided.



**Liebert's GXT2 120/208VAC  
UPS For High Availability Power**



**Liebert's Integrated PDU  
Electrical Receptacle Solution**



**Call 949 646-8191 for Assistance**

